GERMAN TECHNOLOGY

WELCO® LUBRICANTS SINCE 1994



ABOUT US

QUALITY FIRST


A Legacy of Excellence Since 1994

- 23,000 sq. ft. production facility, supported by **25,000 sq. ft. of covered warehouse space**
- In-house bulk **storage capacity of 3,00,000 liters,** ensuring supply continuity and production stability
- **Fully automated, modern lubricant blending plant** with advanced process controls
- **Annual installed capacity of 7.2 million liters**
- Peak operational **capability of 20,000 liters per day**
- High-speed automated filling, labelling, and packaging lines capable of **handling 100+ SKUs per day**



STRONG MARKET PRESENCE & DISTRIBUTION FOOTPRINT

- Network of **175+ distributors and dealers across India.**
- **50+ white-label / private-label clients,** leveraging WELCO's manufacturing capabilities for their branded lubricant portfolios
- Active operations across **25+ Indian states,** serving automotive, industrial, and commercial sectors
- International presence across **6+ countries,** reflecting WELCO's growing global footprint and export capabilities.
- Proven ability to develop and scale distribution partnerships
- Recognized for product reliability, supply consistency, and technical support







WHY CHOOSE US

- Advanced in-house **R&D and testing laboratories** with modern analytical instruments and qualified technical experts.
- Commitment to delivering high-quality, cost-effective products in full compliance with **ISO 9001:2015** and customer requirements.
- Manufacturing facility certified by **IAF,** compliant **meets API standards and JASO MA-2,** certified by **EIACL, Dubai.**
- Strong Quality Management System ensuring continuous improvement through audits, reviews, and performance monitoring.
- Organization-wide responsibility for quality, reinforced through structured training, communication, and internal awareness programs.

NON-CARBONIC OIL FORMULA

- Reduction in Carbon Monoxide (CO) emissions
- Reduction in Hydrocarbon (HC) emissions
- Fuel savings of up to 8–15%
- Improved engine power and responsiveness
- Up to 2X reduction in noise and vibration levels
- Improved oil pressure and superior combustibility

EXCLUSIVE NANO TECHNOLOGY PROTECTION
FUEL ECONOMY
LSPI PROTECTION
EXTENDED DRAIN
LOW EMMISSION
BS6 TECHNOLOGY
LONG LIFE
HEAVY DUTY
ALSO RECOMMENDED FOR HYBRIDS
BIOFUEL COMPATIBLE
ISO 9001:2015 CERTIFIED COMPANY



VISION

- To become one of the **top 100 lubricant manufacturers globally** and a leading contributor to the Indian economy, recognized for quality, reliability, and innovation — while:
- Expanding our distributor network to **200+ partners across 28 Indian states by 2028**
- Entering **5 new international markets within the next 3 years**
- Partnering with **30 OEMs and technology innovators** to support next-generation mobility solutions

MISSION

- To achieve excellence in **product quality and customer service** through a dynamic, growth-driven, and market-leading approach.
- To build a strong professional ecosystem that contributes to industry development and **long-term customer satisfaction.**
- To manufacture **environment-friendly, low-emission lubricants** while upholding high standards of safety, sustainability, and corporate social responsibility.

VALUES

- Commitment to **Total Quality Management** across all functions and levels.
- Continuous improvement through skill development, innovation, and modernization of products and systems.
- Delivery of **zero-defect, on-time** products that consistently meet customer expectations.
- Building long-term relationships based on trust, value for money, and operational excellence.
- **"Customer Trust Is Our Faith."**

ACHIEVEMENTS & CERTIFICATES



INDIAMART TRUST SEAL



INDIAMART TRUST SEAL



QUALITY MANAGEMENT SYSTEM



TRADE MARK RAGISTRY



UDYAM REGISTRATION




IMPORT-EXPORT



GST REGISTRATION



ISO-9001-2015



ISO-9001-2015




ISO-9001-2015


RAW MATERIAL STORAGE TANK CAPACITY 3,00,000 LITERS





AUTOMATIC PACKAGING MACHINE 7.2 MILLION LITERS ANNUALLY








BIKE/TWO-WHEELER ENGINE OILS

WELCO AQUA 20W40 SL



- High Fuel Efficiency
- Low Oil Consumption
- Good Wear Protection
- High Engine Durability
- Longer Oil & Engine Life

PACKAGING SIZE
210L, 55L, 20L,
10L, 1L, 900ML

WELCO AQUA PLUS 10W30 SL



- High Fuel Efficiency
- Low Oil Consumption
- High Engine Durability
- Longer Oil & Engine Life
- Lower Maintenance Cost

PACKAGING SIZE
210L, 55L, 20L,
10L, 900ML, 800ML

WELCO AQUA SYNTH 20W40 SL



- High Fuel Efficiency
- Low Oil Consumption
- Good Wear Protection
- High Engine Durability
- Longer Oil & Engine Life

PACKAGING SIZE
210L, 55L, 20L,
10L, 1L, 900ML

WELCO GOLD SYNTH 20W40 SM



- Synthetic blend lubricants
- Non carbonic oil formula
- Increases response from engine
- Helps keep engines clean for smoother operation

PACKAGING SIZE
210L, 55L, 20L,
10L, 1L, 900 ML

WELCO PLATINUM 20W40 SN



- Synthetic blend lubricants
- Non carbonic oil formula
- Increases response from engine
- Helps keep engines clean for smoother operation

PACKAGING SIZE
210L, 55L, 20L,
10L, 1L, 900ML

WELCO BULLET 15W50 SM



- Synthetic blend lubricants
- Smooth riding
- Keeps engine cool
- Enduring performance
- Non carbonic oil formula

PACKAGING SIZE
210L, 55L, 20L, 10L,
3.5L, 3L, 2.5L

WELCO NEXUS SYNTH 5W30 SN



- Synthetic blend lubricants
- Non carbonic oil formula
- Increases response from engine
- Helps keep engines clean for smoother operation

PACKAGING SIZE
210L, 55L, 20L,
10L, 650ML, 600ML

FORK OILS/SHOCK ABSORBER OILS



- Low pour point
- Excellent chemical stability
- Excellent seal compatibility
- Provides a comfortable ride

PACKAGING SIZE
210L, 55L, 26L,
20L, 175ML

AGRICULTURE OIL

WELCO KISAN POWER UTTO



- Projects against corrosion
- Longer oil and equipment life
- Superior gear wears protection
- Ensures longer transmission life
- Stays in grade under all conditions

PACKAGING SIZE
210L, 55L, 26L, 20L, 10L, 8.5L, 8L,
7.5L, 7L, 5L, 3.5L, 3L

WELCO PUMP SET OIL (PSO)



- Maximum cleanliness
- High oxidation stability
- Improved fuel economy
- Reduced oil consumption
- Excellent anti-wear technology

PACKAGING SIZE
210L, 55L, 26L, 20L, 10L,
5L, 3.5L, 3L

CAR ENGINE OILS

WELCO NEXUX SYNTH 5W30 SN



- Synthetic blend lubricants
- Longer engine life
- Enhanced fuel efficiency
- Superior control on wear
- Superior engine cleanliness

PACKAGING SIZE
210L, 55L, 20L, 10L, 7L,
5L, 4L, 3.5L, 3L, 1L

WELCO ALPHA SYNTH 5W40 SN



- Synthetic blend lubricants
- Longer engine life
- Longer drain periods
- Enhanced fuel efficiency
- Superior control on wear

PACKAGING SIZE
210L, 55L, 20L, 10L, 7L, 5L,
4L, 3.5L, 3L

WELCO PACIFIC SYNTH 10W40 SN



- Synthetic blend lubricants
- Maximum cleanliness
- Lower maintenance cost
- Superior control on wear
- Helps to reduce pollution

PACKAGING SIZE
210L, 55L, 20L, 10L, 7L,
5L, 4L, 3.5L, 3L

WELCO BOOSTER 20W40 SL



- Multi grade engine oil
- High fuel efficiency
- Low oil consumption
- High engine durability
- Extended drain interval

PACKAGING SIZE
210L, 55L, 20L, 10L, 7L, 5L,
4L, 3.5L, 3L, 1.2L, 1L, 900ML

COMMERCIAL VEHICLE ENGINE OILS

WELCO EXTREME 15W40 CH-4



- Noise free operation
- Maximum cleanliness
- Improved fuel economy
- Excellent anti-wear technology
- Suitable for BS VI compliant vehicles

PACKAGING SIZE
210L, 55L, 26L, 20L, 10L, 8.5L,
8L, 7.5L, 7L, 5L, 3.5L, 3L, 1L

WELCO EXTREME PLUS 15W40 CI-4



- Noise free operation
- Maximum cleanliness
- Improved fuel economy
- Excellent anti-wear technology
- Suitable for BS VI compliant vehicles

PACKAGING SIZE
210L, 55L, 26L, 20L, 10L, 8.5L,
8L, 7.5L, 7L, 5L, 3.5L, 3L

WELCO EXTREME SYNTH 15W40 CI-4 PLUS



- Synthetic blend lubricants
- Maximum cleanliness
- Improved fuel economy
- Excellent anti-wear technology
- Suitable for BS VI compliant vehicles

PACKAGING SIZE
210L, 55L, 26L, 20L, 10L, 8.5L,
8L, 7.5L, 7L, 5L, 3.5L, 3L

WELCO TITANIUM 20W40 CH-4 & CI-4



- Maximum cleanliness
- High oxidation stability
- Improved fuel economy
- Reduced oil consumption
- Excellent anti-wear technology

PACKAGING SIZE
210L, 55L, 26L, 20L, 10L, 8.5L,
8L, 7.5L, 7L, 5L, 3.5L, 3L

WELCO CLUTCH & BREAK FLUID

WELCO CLUTCH & BREAK FLUID DOT-4



- Good water tolerance
- Excellent chemical stability
- Exceptional thermal stability
- Excellent corrosion protection
- Ensures a safe riding experience

PACKAGING SIZE
210L, 55L, 50L, 26L,
20L, 250ML

WELCO CLUTCH & BREAK FLUID DOT-3



- Good water tolerance
- Excellent chemical stability
- Exceptional thermal stability
- Excellent corrosion protection
- Ensures a safe riding experience

PACKAGING SIZE
210L, 55L, 50L, 26L,
20L, 250ML

GEAR & TRANSMISSION OILS

WELCO GEAR EP-90 (GL-4)



- Excellent ageing resistance
- Longer Oil and Component Life
- All sealing materials compatibility
- Protection against rust and corrosion
- Excellent thermal & chemical stability

PACKAGING SIZE
210L, 55L, 26L, 20L,
10L, 7L, 5L, 1L

WELCO GEAR EP 80W90 (GL-5)



- Noise reduction
- Excellent ageing resistance
- Longer Oil and Component Life
- All sealing materials compatibility
- Protection against rust & corrosion

PACKAGING SIZE
210L, 55L, 26L, 20L,
10L, 7L, 5L, 1L

WELCO GEAR EP-140 (GL-5)



- Excellent ageing resistance
- Longer Oil and Component Life
- All sealing materials compatibility
- Protection against rust and corrosion
- Excellent thermal & chemical stability

PACKAGING SIZE
210L, 55L, 26L, 20L,
10L, 7L, 5L, 1L

WELCO GEAR EP 85W140 (GL-5)



- Noise reduction
- Excellent ageing resistance
- Longer Oil and Component Life
- All sealing materials compatibility
- Protection against rust & corrosion

PACKAGING SIZE
210L, 55L, 26L, 20L
10L, 7L, 5L, 2.5L. 1L

WELCO GEAR SYNTH EP 75W90 (GL-5)



- Synthetic blend lubricants
- Noise reduction
- Excellent ageing resistance
- Longer Oil and Component Life
- All sealing materials compatibility

PACKAGING SIZE
210L, 55L, 26L, 20L,
10L, 7L, 5L, 2.5L

WELCO ATF TQ & POWER STEERING FLUID



- Seal compatibility
- Better oxidation stability
- Low temperature viscosity
- Minimizes clutch-plate wear
- Longer Service Intervals fluids

PACKAGING SIZE
210L, 55L, 26L, 20L,
10L, 7L, 5L, 1L

COOLENT OILS

WELCO ULTRA COOL COOLANT 1:4



- Extended coolant life
- Improved heat transfer
- Good chemical stability
- Extended water pump life
- Noncorrosive and antirust

PACKAGING SIZE
210L, 55L, 50L, 26L,
20L, 10L, 5L, 3L, 1L

THREE-WHEELER ENGINE OILS

WELCO BOOSTER 20W50 (SL/CH-4)



- High fuel efficiency
- Low oil consumption
- High engine durability
- Extended drain interval
- Lower maintenance cost

PACKAGING SIZE
210L, 55L, 50L, 20L, 10L,
7L, 5L, 4L, 3.5L, 3L, 1.2L, 1L

HYDRAULIC OILS

WELCO CALIBER AW 32/46/68



- Improved FZG rating
- Enhanced filterability
- Low foaming tendency
- Excellent seal compatibility
- Excellent hydrolytic stability

PACKAGING SIZE
210L, 55L, 50L,
20L, 10L, 5L,

WELCO CALIBER HLP 32/46/68



- Improved FZG rating
- Enhanced filterability
- Low foaming tendency
- Excellent seal compatibility
- Excellent hydrolytic stability

PACKAGING SIZE
210L, 55L, 50L,
20L, 10L, 5L,

INDUSTRIAL OILS

HYDRAULIC OILS ANTIWEAR




WELCO CALIBER HYDRAULIC AW 32/46/68

HYDRAULIC OILS HLP



WELCO CALIBER HYDRAULIC HLP 32/46/68

HYDRAULIC OILS ANTIWEAR



SEMI SYNTHETIC & MINERAL

COMPRESSOR OILS




MACHINERY OILS




SPINDLE OILS



TRANSFORMER OILS



TURBINE OILS



INDUSTRIAL GEAR OILS



RUST PREVENT OILS



THERMIC OILS



SPECIALITY OILS



HMO SPRAY OILS



OUR OTHER PRODUCTS : Quenching Oil & Other Industrial, Speciality Products.

PACKAGING SIZE:- 210L, 55L, 26L, 20L, 10L

"MADE FROM FINEST GERMAN TECHNOLOGY"

WELCO®
LUBRICANTS & BATTERIES
SINCE 1994

FACTORY
Plot No.8, Survey No. 154, Patidar Industrial Area,
Lothada, Rajkot, Gujarat - 360024 (BHARAT).

OFFICE
11 Sorathiyawadi, Kothariya Main Road,
Rajkot, Gujarat-360002 (BHARAT).

sales@welcolubricants.com
www.welcolubricants.com

Authorised Dealer / Distributor

Scan For Website